

Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

2271 November 4, 1904

following notifications of infectious diseases received during the previous month: Yellow fever 11, plague 18, variola 1,038, enteric fever 5, diphtheria 7, leprosy 3, tuberculosis 96, malarial fevers 1, measles 29, beriberi 1.

The central disinfection establishment disinfected 9,700 pieces of clothing, and destroyed by fire 1,379 articles of clothing. Up to the last day of the month 211,896 rats had been brought in and killed.

The bacteriological laboratory made 66 examinations in suspected cases of bubonic plague, and of this number 36 were thus confirmed.

The brigade against mosquitoes cleansed 3,476 localities where yellow fever deaths had occurred in previous epidemics. They also destroyed 54 foci of larvæ, and made but one visit of sanitary vigilance.

They also cleansed 62,054 ralos and 83,089 tinas, they washed out 51,331 automatic water boxes and registers, 207 water tanks, 29,629 tanques, and 2,766 other classes of water containers. In this kind of work there was expended more than 1,757 kilograms of pyrethrum, 38,491 kilograms of sulphur, 1,598 liters of alcohol, and 20 liters of petroleum.

Sixty-nine vessels were disinfected in port, and on land by means of the same style of apparatus 46 streets were cleansed, 1,409 gratings being removed, and 32 deposits of filth, in all 178 carts of filth and dirt being taken out of the rain-water conduits in these streets.

The isolation hospitals received during the month of August 655 persons ill with variola, 27 with plague, and none from yellow fever. Of those isolated, 333 cases of variola died and 7 cases of plague also proved fatal. At the end of the month there remained under treatment 314 cases of variola and 21 of plague.

The total mortality for the month was 1,836. The centigrade thermometer attained as its maximum in August 31.8°, as its minimum

 14.5° , and as its average 20.86° C.

BRITISH HONDURAS.

Report from Belize, fruit port.

Acting Assistant Surgeon Carson reports as follows: Week ended October 20, 1904: Present officially estimated population, 8,500; number of deaths, 8; prevailing disease, malarial fever of mild type and phthisis pulmonalis; general sanitary condition of this port and the surrounding country during the week, fairly good.

Bills of health were issued to the following-named vessels:

Date.	Vessel.	Number of crew.	Number of passengers from this port.	Number of passengers in transit.	Pieces of baggage disinfected.
Oct. 14	Anselm.	40	3	5	0
14	Tarstoon	35	0	1	0
20	Belize	18	0	0	0
20	Matador	35	0	1	0

CHINA.

Report from Hongkong—Plague and smallpox—Quarantine measures.

Passed Assistant Surgeon White reports, September 26, as follows: The health report for the week ended September 17, 1904, records 4 cases of plague and 4 deaths; diphtheria 1 case, 1 death; smallpox